



Cork Pads with Cling Foam for Auto Glass

As the main cork pads supplier of Fuyao Group, “Raybone” is a professional manufacturer of Cork manufacturer in China. We have produced and exported Cork Pads with cling foam for auto glass about 20 years. Cork Pads with cling foam for auto glass, has competitive price advantage and cover most of the European and American markets in glass industry. “Raybone” is also China manufacturer & supplier who mainly produces


Cork sheets, Cork stoppers, Cork underlay with many years of experience. Hope to build business relationship with you.

Product Description

Customized size “Raybone” Cork Pads with cling foam for auto glass is popular for many glass factories as daily materials. Glass, windows, doors and mirrors are fragile. “Raybone” Cork Pads with cling foam for auto glass are easy to be removed cleanly, yet adhered securely to architectural glass, auto glass, furniture glass, stone, windows & doors, during transporting, packing, storage and installation. Setting between the glass, the cork pads can absorb vibration, maintain position and prevent breakage.



| Parameters of Cork Pads with cling foam for auto glass: | |
|---|---|
| Components | Plain cork, self-adhesive cling foam, protective liner |
| Density of cork(KG/m ³) | 190±20 |
| Hardness of cork | 70-76 shore |
| Tolerance of thickness | 0.2mm |
| Tolerance of length | 0.5mm |
| Adsorbability(Newton) | 3±1 N/sq.cm(+20°C) |
| Acidity & alkalescence | neutral |
| Heat-resistant | 100 Centigrade, over 2 hours, no residue on glass |
| Humidity-resistant | relative humidity 95%, over 2 weeks, no residue on glass |
| Wear | pressure 45KG, normal temperature, 180 days, no residue on glass |
| Recommend temperature of processing | +18°C up to +30°C |
| Storage | at 18°C and about 60% relative humidity of air, clean and dry in original cardboard, to protect against UV-radiation and too high humidity of air |



Size of Cork Pads with cling foam for auto glass:

Standard thickness: 20mm

Standard size: 20x20mm

Other normal size: 40x40mm

Above can be customized as per your requests


Standard packing details
In sheet Cork Pads with cling foam for auto glass:

| MODEL NO. | PAD SIZE | THICKNESS | PAD/BOX | BOX SIZE(CM) | VOL.(CBM) | G.W.(KG) |
|-----------|----------|-----------|---------|--------------|-----------|----------|
| SA-20200 | 20x20mm | 20mm cork | 4096pcs | 34*35*36 | 0.043 | 11.5 |
| SA-40200 | 40x40mm | 20mm cork | 1024pcs | 34*35*36 | 0.043 | 11 |



Installation Instructions of Cork Pads with cling foam for auto glass:

Please place the cork pads on the edge of the glass, one pad per 30cm or 40cm, and totally 8 pads on

the area of 1 square meter; more pads must be put on the middle of glass for the area more than 1 square meter and the actual quantity should be subject to the reality.

Principle: the smaller the glass area is, the less the pads need;
For the same area glass, the more the cork pads are used, the better the protection effect is.

Please use the approximate cork pads quantity according to the real situation.



Factory:

We set large-scale production line for cork raw materials in Hubei province of China